

Author Index

- ACCOUTURIER, P. *see* SELIGMAN, M.
- AGUILAR-SANTELISES, M., MAGNUSSON, R., SVENSON, S.B., LOFTENIUS, A., ANDERSSON, B., MELLSTEDT, H. & JONDAL, M. Expression of interleukin-1 α , interleukin-1 β and interleukin-6 in chronic B lymphocytic leukaemia (B-CLL) cells from patients at different stages of disease progression, 422
- AIUTI, F. *see* PAGANELLI, R.
- ALERS, C.E. *see* MANNIK, M.
- ALEXANDER, G. *see* SHERON, N.
- ALEXANDER, J. *see* PARKER, S.J.
- ALVIGGI, L. *see* VEGNENTE, A.
- AMOS, N. *see* OLEESKY, D.A.
- ANDERSSON, B. *see* AGUILAR-SANTELISES, M.
- ANDRIEU, J.-M. *see* JEFFERY, A.A.
- ARVIEUX, J., ROUSSEL, B., PONARD, D. & COLOMB, M.G. Reactivity patterns of anti-phospholipid antibodies in systemic lupus erythematosus sera in relation to erythrocyte binding and complement activation, 466
- ASANO, M., MINAGAWA, T., OHMICH, M. & HIRAGA, Y. Detection of endogenous cytokines in sera or in lymph nodes obtained from patients with sarcoidosis, 92
- AURIAULT, C. *see* DUQUESNA, V.
- BALLARD, L.L., BROWN, E.J. & HOLERS, V.M. Expression of the fibronectin receptor VLA-5 is regulated during human B cell differentiation and activation, 336
- BALLOU, S.P. & CLEVELAND, R.P. Binding of human C-reactive protein to monocytes: analysis by flow cytometry, 329
- BALSANO, F. *see* BENVENUTO, R.
- BARNABA, V. *see* BENVENUTO, R.
- BARRETO, L. *see* SALCEDO, M.
- BAUMGARTNER, G. *see* STUHLMEIER, K.
- BECK, L. *see* SPIEGELBERG, H.L.
- BEHRENS, R. *see* ZUMLA, A.
- BELLON, B. *see* ROSSI, F.
- BENVENUTO, R., PAROLI, M., BUTTINELLI, C., FRANCO, A., BARNABA, V., FIESCHI, C. & BALSANO, F. Tumour necrosis factor- α synthesis by cerebrospinal-fluid-derived T cell clones from patients with multiple sclerosis, 97
- BERG, P.A. *see* KLEIN, R.
- BEVERLEY, P. *see* VYAKARNAM, A.
- BIERWOLF, B. *see* KRUG, J.
- BIRD, G. *see* SHERON, N.
- BLASER, J. *see* OPRAVIL, M.
- BOMPIANI, G.D. *see* TRIOLO, G.
- BONNEFOY, J.-Y. *see* TUCCI, A.
- BORREBAECK, C.A. K. *see* OHLIN, M.
- BOURGAULT, J., GOMEZ, A., GOMARD, E. & LEVY, J.P. Limiting-dilution analysis of the HLA restriction of anti-Epstein-Barr virus-specific cytolytic T lymphocytes, 501
- BOUTILLON, C. *see* DUQUESNA, V.
- BOYLSTON, A.W. *see* TREJDOSIEWICZ, L.K.
- BREEDVELD, F.C. *see* VAN DER ZEE, J.M.
- BREIT, S.N. *see* MA, J.
- BROUET, J.C. *see* LEVY, Y.
- BROWN, B. *see* LING, N.
- BROWN, E.J. *see* BALLARD, L.L.
- BURKE, M. *see* DAVIES, K.A.
- BURNS, M.W. *see* MANNIK, M.
- BUTTINELLI, C. *see* BENVENUTO, R.
- CALABRESE, A. *see* TREJDOSIEWICZ, L.K.
- CAMPANA, D. *see* HO, S.
- CAMPBELL, R.D. *see* RATANACHAIYAVONG, S.
- CAPOBIANCHI, M.R. *see* PAGANELLI, R.
- CAPRON, A. *see* DUQUESNA, V.
- CASIGLIA, D. *see* TRIOLO, G.
- CAVALLO, T. & GRANHOLM, N.A. Bacterial lipopolysaccharide induces long-lasting IgA deficiency concurrently with features of polyclonal B cell activation in normal and in lupus-prone mice, 134
- CESBRON-DELAUW, M.-F. *see* DUQUESNA, V.
- CHAPMAN, G.V. *see* MA, J.
- CHEN, S.-L. *see* MA, J.
- CLAAS, F.M. J. *see* MOMMAAS, A.M.
- CLEVELAND, R.P. *see* BALLOU, S.P.
- COLOMB, M.G. *see* ARVIEUX, J.
- COTE, J. *see* SALCEDO, M.
- CRABTREE, J.E. *see* TREJDOSIEWICZ, L.K.
- DAHA, M.R. *see* VAN DER ZEE, J.M.
- DAMMACCO, F. *see* VACCA, A.
- DANIELS, H. *see* VEGNENTE, A.
- DANIELS, R.H. *see* OLEESKY, D.A.
- DANON, F. *see* SELIGMAN, M.
- DARCY, F. *see* DUQUESNA, V.
- DARZYNKIEWICZ, Z. *see* MYC, A.
- DAUTRY, A. *see* FARCET, J.P.
- DAVIES, K.A., TOOTHILL, V.J., SAVILL, J., HOTCHIN, N., PETERS, A.M., PEARSON, J.D., HASLETT, C., BURKE, M., LAW, S.K. A., MERCER, N.F.G., WALPORT, M.J. & WEBSTER, A.D. B. A 19-year-old man with leucocyte adhesion deficiency. *In vitro* and *in vivo* studies of leucocyte function, 223
- DEANGELIS, P. *see* MYC, A.
- DE GROOTE, D. *see* GRAU, G.E.
- DELACROIX, D. *see* GRAU, G.E.
- DEMAINE, A.G. *see* RATANACHAIYAVONG, S.
- DENIS, M. Killing of *Mycobacterium tuberculosis* within human monocytes: activation by cytokines and calcitriol, 200
- DE VREEDE, T.A. *see* VAN DER ZEE, J.M.
- DE WEERS, M. *see* HENDRIKS, R.W.
- DI STEFANO, R. *see* VACCA, A.
- D'OFFIZI, G. *see* PAGANELLI, R.
- DRUET, P. *see* ROSSI, F.
- DULARAY, B. *see* YEA, C.M.
- DUNCAN, J.I. *see* HORROCKS, C.
- DUNCKER, G. *see* ZAVAZAVA, N.
- DUQUESNA, V., AURIAULT, C., GRAS-MASSÉ, H., BOUTILLON, C., DARCY, F., CESBRON-DELAUW, M.-F., TARTAR, A. & CAPRON, A. Identification of T cell epitopes within a 23-kD antigen (P24) of *Toxoplasma gondii*, 527
- ECKSTEIN, E. *see* ZAVAZAVA, N.
- ELKINS, D.B. *see* HASWELL-ELKINS, M.R.
- ELSON, C. *see* MACHT, L.
- ELSON, C.J. *see* YEA, C.M.
- EVEN, P. *see* JEFFERY, A.A.
- FALKOFF, R.J. M. *see* SPIEGELBERG, H.L.
- FANALES-BELASIO, E. *see* PAGANELLI, R.
- FARCET, J.P., LEBARGY, F., LAVIGNAC, C., GAULARD, P., DAUTRY, A., GAZZOLO, L., ROMÉO, P.-H. & VAINCHENKER, W. Constitutive IL-2 expression in HTLV-I-infected leukaemic T cell lines, 415
- FERREIRA, A., CRUZ-GARCÍA RODRÍGUEZ, M., OMEÑACA, F., JIMÉNEZ, A., VILLAR, L.M., GONZÁLEZ-PORQUÉ, P. & FONTÁN, G. Soluble class I histocompatibility antigens (s-HLA) and β 2-microglobulin at delivery, 167
- FIERZ, W. *see* OPRAVIL, M.
- FIESCHI, C. *see* BENVENUTO, R.
- FIORILLI, M. *see* PAGANELLI, R.
- FLATOW, J. *see* KEYSTONE, E.C.
- FLEISCHER, B. *see* LÖHR, H.
- FONTÁN, G. *see* FERREIRA, A.

- FRANCO, A. *see* BENVENUTO, R.
 FRASSANITO, A. *see* VACCA, A.
 FREDRIKSON, S., SUN, J., XIAO, B.-G. & LINK, H. Cord blood contains cells secreting antibodies to nervous system components, 353
 FREMAND, J.P. *see* LEVY, Y.
 FREW, A.J. & KAY, A.B. UCHL1⁺ (CD45RO⁺) 'memory' T cells predominate in the CD4⁺ cellular infiltrate associated with allergen-induced late-phase skin reactions in atopic subjects, 270
 FUJIWARA, M. *see* KAWAI, K.
 FUKATSU, A. *see* TAMAI, H.
 FUKUMA, N. *see* MACHT, L.
- GALBO, H. *see* KAPPEL, M.
 GALLICCHIO, M. *see* SAVIGE, J.A.
 GALLICCHIO, M.C. & SAVIGE, J.A. Detection of anti-myeloperoxidase and anti-elastase antibodies in vasculitides and infections, 232
 GARRED, P. *see* HETLAND, G.
 GAULARD, P. *see* FARCET, J.P.
 GAUTHIER, V.J. *see* MANNIK, M.
 GAZZOLO, L. *see* FARCET, J.P.
 GERLICH, W.H. *see* MADALINSKI, K.
 GIARDINA, E. *see* TRILOLO, G.
 GILES, C.M. & ROBSON, T. Immunoblotting human C4 bound to human erythrocytes *in vivo* and *in vitro*, 263
 GILLIAM, G. *see* OHLIN, M.
 GOKA, J. *see* SHERON, N.
 GOMARD, E. *see* BOURGAULT, J.
 GOMBERT, F.O. *see* OHLIN, M.
 GOMEZ, A. *see* BOURGAULT, J.
 GONNERMAN, W. *see* WHITEHEAD, A.S.
 GONZALEZ, A.M. *see* TEBBS, S.E.
 GONZALEZ-PORQUE, P. *see* FERREIRA, A.
 GORDON, J. Human B lymphocytes mature, 373
 GRANFORS, K. *see* MÄKI-KOLA, O.
 GRANHOLM, N.A. *see* CAVALLO, T.
 GRAS-MASSE, H. *see* DUQUESNA, V.
 GRAU, G.E. *see* SARNO, E.N.
 GRAU, G.E., VESIN, C., DE GROOTE, D., DELACROIX, D., GYSLER, C., PIGUET, P.F. & LAMBERT, P.H. Prevention of human TNF-induced cutaneous Shwartzmann reaction and acute mortality in mice treated with anti-human TNF monoclonal antibody, 411
 GRIDLEY, D.S. & STICKNEY, D.R. Changes in leucocyte populations following murine bifunctional antibody infusion in colon cancer patients, 289
 GUIDA, S. *see* VEGNENTE, A.
 GYSLER, C. *see* GRAU, G.E.
- HALENE, M. *see* ZAVAZAVA, N.
 HANSEL, T. *see* LING, N.
 HARDING, B. *see* STAGG, A.J.
 HARDING, B. *see* STAGG, A.J.
 HARPPRECHT, J. *see* ZAVAZAVA, N.
 HASLETT, C. *see* DAVIES, K.A.
- HASWELL-ELKINS, M.R., SITHITHAWORN, P., MAIRIANG, E., ELKINS, D.B., WONGRATANACHEWIN, S., KAEWKES, S. & MAIRIANG, P. Immune responsiveness and parasite-specific antibody levels in human hepatobiliary disease associated with *Opisthorchis viverrini* infection, 213
 HAWKINS, P.N., TENNENT, G.A., WOO, P. & PEPYS, M.B. Studies *in vivo* and *in vitro* of serum amyloid P component in normals and in a patient with AA amyloidosis, 308
 HEERMANN, K.-H. *see* MADALINSKI, K.
 HEMACHUDHA, T. *see* KASEMPIMOLPORN, S.
 HENDRIKS, R.W., DE WEERS, M., MENSINK, R.G. J., KRAAKMAN, M.E. M., MOLLE-VERSTEGDE, I.F. A.M., VEERMAN, A.J. P., SANDKUYL, L.A. & SCHUURMAN, R.K. B. Diagnosis of Wiskott-Aldrich syndrome by analysis of the X chromosome inactivation patterns in maternal leucocyte populations using the hypervariable DXS255 locus, 219
 HETLAND, G., MOLLNES, T.E. & GARRED, P. Activation of complement during apheresis, 535
 HIRAGA, Y. *see* ASANO, M.
 HO, S. & CAMPANA, D. Phenotypic changes and proliferative activity of human γ T cell receptor-bearing cells upon activation, 376
 HOET, R.M., VOORSMIT, R.A. C.A. & VAN VENROOIJ, W.J. The perinuclear factor, a rheumatoid arthritis-specific autoantigen, is not present in keratohyalin granules of cultured buccal mucosa cells, 59
 HOLERS, V.M. *see* BALLARD, L.L.
 HORIGUCHI, D. *see* TAKIGAWA, M.
 HORROCKS, C., DUNCAN, J.L., OLIVER, A.M. & THOMSON, A.W. Adhesion molecule expression in psoriatic skin lesions and the influence of cyclosporin A, 157
 HOSO, M. *see* TERADA, T.
 HOSONO, M. *see* MORI, Y.
 HOTCHIN, N. *see* DAVIES, K.A.
 HOWDLE, P.D. *see* TREJDOSIEWICZ, L.K.
 HUGHES, R.A. *see* STAGG, A.J.
 HUGHES, R.A. *see* STAGG, A.J.
- IMAMURA, S. *see* TAKIGAWA, M.
 IODICE, G. *see* VACCA, A.
 ISENBERG, D. *see* ZUMLA, A.
 ISHIOKA, C. *see* KIMATA, H.
 ISRAËL-BIET, D. *see* JEFFERY, A.A.
 ITO, M. *see* KAWAI, K.
 IWAMOTO, I. *see* OCHIAI, K.
- JAMES, H. *see* TUCCI, A.
 JAYNE, D.R. W., WEETMAN, A.P. & LOCKWOOD, C.M. IgG subclass distribution of autoantibodies to neutrophil cytoplasmic antigens in systemic vasculitis, 476
 JEFFERY, A.A., ISRAËL-BIET, D., ANDRIEU, J.-M., EVEN, P. & VENET, A. HIV isolation from pulmonary cells derived from bronchoalveolar lavage, 488
 JIMÉNEZ, A. *see* FERREIRA, A.
 JONDAL, M. *see* AGUILAR-SANTELISES, M.
- KAEWKES, S. *see* HASWELL-ELKINS, M.R.
 KANNAGI, R. *see* MORI, Y.
 KAPPEL, M., STADEAGER, C., TVEDE, N., GALBO, H. & KLARLUND PEDERSEN, B. Effects of *in vivo* hyperthermia on natural killer cell activity, *in vitro* proliferative responses and blood mononuclear cell subpopulations, 175
 KASEMPIMOLPORN, S., HEMACHUDHA, T., KHAWPLOD, P. & MANAT-SATHIT, S. Human immune response to rabies nucleocapsid and glycoprotein antigens, 195
 KATOCH, K. *see* PATIL, S.A.
 KATOH, H. *see* MORI, Y.
 KAWAI, C. *see* MUSO, E.
 KAWAI, K., MATSUMOTO, Y., WATANABE, H., ITO, M. & FUJIWARA, M. Induction of cutaneous graft-versus-host disease by local injection of unprimed T cells, 359
 KAY, A.B. *see* FREW, A.J.
 KAZATCHKINE, M.D. *see* ROSSI, F.
 KEAT, A. *see* STAGG, A.J.
 KEAT, A. *see* STAGG, A.J.
 KELLY, G. *see* VYAKARNAM, A.
 KEYSTONE, E.C., RITTERSHAUS, C., WOOD, N., SNOW, K.M., FLATOW, J., PURVIS, J.C., POPLONSKI, L. & KUNG, P.C. Elevation of a γ T cell subset in peripheral blood and synovial fluid of patients with rheumatoid arthritis, 78
 KHAWPLOD, P. *see* KASEMPIMOLPORN, S.
 KIMATA, H., YOSHIDA, A., ISHIOKA, C. & MIKAWA, H. Disodium cromoglycate (DSCG) selectively inhibits IgE production and enhances IgG4 production by human B cells *in vitro*, 395
 KLARLUND PEDERSEN, B. *see* KAPPEL, M.
 KLEIN, R. & BERG, P.A. Anti-M4 antibodies in primary biliary cirrhosis react with sulphite oxidase, an enzyme of the mitochondrial intermembrane space, 445
 KNIGHT, S.C. *see* STAGG, A.J.
 KNIGHT, S.C. *see* STAGG, A.J.
 KRAAKMAN, M.E. M. *see* HENDRIKS, R.W.
 KRUG, J., BIERWOLF, B., LAMPETER, E., VERLOHREN, H.-J. & LOHMANN, D. Identification of cells responsible for the suppression of anti-beta-cell cytotoxicity in type I (insulin-dependent) diabetes mellitus, 43
 KUNG, P.C. *see* KEYSTONE, E.C.
 KURCZYNSKA, B. *see* MADALINSKI, K.
 KURIBAYASHI, K. *see* MORI, Y.

- KYRIATSOULIS, A. *see* LÖHR, H.
- LACHMANN, P.J. *see* LUCISANO VALIM, Y.M.
- LAMBERT, P.H. *see* GRAU, G.E.
- LAMPETER, E. *see* KRUG, J.
- LANCASTER, F. *see* TREJDOSIEWICZ, L.K.
- LASSOTA, P. *see* MYC, A.
- LAVIGNAC, C. *see* FARCET, J.P.
- LAW, S.K. A. *see* DAVIES, K.A.
- LEADER, K. *see* MACHT, L.
- LEBARGY, F. *see* FARCET, J.P.
- LEHTINEN, K. *see* MÄKI-KOLA, O.
- LEVY, J.P. *see* BOURGAULT, J.
- LEVY, Y., SCHMITT, C., TSAPIS, A., BROUET, J.C. & FREMAND, J.P. Phenotype and immunoglobulin gene configuration of blood B cells from patients with multiple myeloma, 435
- LIMPENS, J. & SCHEPER, R.J. Inhibition of T suppressor cell function by local administration of an active cyclophosphamide derivative at the sensitization site, 383
- LINDH, G. *see* SÄLLBERG, M.
- LING, N., HANSEL, T., RICHARDSON, P. & BROWN, B. Cellular origins of serum complement receptor type 2 in normal individuals and in hypogammaglobulinaemia, 16
- LINK, H. *see* FREDRIKSON, S.
- LOBO-YEO, A. *see* VEGNENTE, A.
- LOCKWOOD, C.M. *see* JAYNE, D.R. W.
- LOCNISKAR, M. *see* ZUMLA, A.
- LOFTENIUS, A. *see* AGUILAR-SANTELISES, M.
- LOHMANN, D. *see* KRUG, J.
- LÖHR, H., MANNS, M., KYRIATSOULIS, A., LOHSE, A.W., TRAUTWEIN, C., MEYER ZUM BÜSCHENFELDE, K.-H. & FLEISCHER, B. Clonal analysis of liver-infiltrating T cells in patients with LKM-I antibody-positive autoimmune chronic active hepatitis, 297
- LOHSE, A.W. *see* LÖHR, H.
- LOSOWSKY, M.S. *see* TREJDOSIEWICZ, L.K.
- LUCISANO VALIM, Y.M. & LACHMANN, P.J. The effect of antibody isotype and antigenic epitope density on the complement-fixing activity of immune complexes: a systematic study using chimaeric anti-NIP antibodies with human Fc regions, 1
- LÜTHY, R. *see* OPRAVIL, M.
- MA, J., CHAPMAN, G.V., CHEN, S.-L., MELICK, G., PENNY, R. & BREIT, S.N. Antibody penetration of viable human cells. I. Increased penetration of human lymphocytes by anti-RNP IgG, 83
- MACHT, L., FUKUMA, N., LEADER, K., SARSERO, D., PEGG, C.A. S., PHILLIPS, D.I. W., YATES, P., MCLACHLAN, S.M., ELSON, C. & REES SMITH, B. Severe combined immunodeficient (SCID) mice: a model for investigating human thyroid autoantibody synthesis, 34
- MADALINSKI, K., KURCZYNSKA, B., HEERMANN, K.-H., UY, A. & GERLICH, W.H. Analysis of viral proteins in circulating immune complexes from chronic carriers of hepatitis B virus, 493
- MADI, N., PACCAUD, J.-P., STEIGER, G. & SCHIFFERLI, J.A. Immune complex binding efficiency of erythrocyte complement receptor 1 (CR1), 9
- MAGNIUS, L.O. *see* SÄLLBERG, M.
- MAGNUSSON, R. *see* AGUILAR-SANTELISES, M.
- MAIRIANG, E. *see* HASWELL-ELKINS, M.R.
- MAIRIANG, P. *see* HASWELL-ELKINS, M.R.
- MÄKI-KOLA, O., LEHTINEN, K., GRANFORS, K., VAINIONPÄÄ, R. & TOIVANEN, P. Bacterial antibodies in ankylosing spondylitis, 472
- MANATSATHIT, S. *see* KASEMPIMOLPORIN, S.
- MANNIK, M., STAPLETON, S.A., BURNS, M.W., ALERS, C.E. & GAUTHIER, V.J. Glomerular subendothelial and subepithelial immune complexes, containing the same antigen, are removed at different rates, 367
- MANNS, M. *see* LÖHR, H.
- MASUDA, T. *see* MORI, Y.
- MATEAR, P. *see* VYAKARNAM, A.
- MATSUMOTO, Y. *see* KAWAI, K.
- MATSUO, S. *see* TAMAI, H.
- MATTER, L. *see* OPRAVIL, M.
- MCADAM, K.P. W.J. *see* ZUMLA, A.
- MCGREGOR, A.M. *see* RATANACHAIVONG, S.
- MCLACHLAN, S.M. *see* MACHT, L.
- MEAGER, A. *see* VYAKARNAM, A.
- MELAMED, M.R. *see* MYC, A.
- MELICK, G. *see* MA, J.
- MELI-VERGANI, G. *see* VEGNENTE, A.
- MELLSTEDT, H. *see* AGUILAR-SANTELISES, M.
- MENSINK, R.G. J. *see* HENDRIKS, R.W.
- MERCER, N.F. G. *see* DAVIES, K.A.
- MEYER ZUM BÜSCHENFELDE, K.-H. *see* LÖHR, H.
- MIKAWA, H. *see* KIMATA, H.
- MINAGAWA, T. *see* ASANO, M.
- MOLLE-VERSTEEGDE, I.F. A.M. *see* HENDRIKS, R.W.
- MOLLNES, T.E. *see* HETLAND, G.
- MOMMAAS, A.M., WIJSMAN, M.C., VERDUIJN, W., VERMEER, B.J. & CLAAS, F.M. J. Internalization of MHC class I molecules is a prerequisite for endocytosis of endorphin by lymphocytes, 170
- MORGAN, B.P. *see* OLEESKY, D.A.
- MORI, Y., HOSONO, M., MURAKAMI, K., KATO, H., YOSHIKAWA, Y., KURIBAYASHI, K., KANNAGI, R., SAKAI, M., OKUMA, M. & MASUDA, T. Genetic studies on experimental autoimmune gastritis induced by neonatal thymectomy using recombinant inbred strains between a high-incidence strain, BALB/c, and a low-incidence strain, DBA/2, 145
- MOUZAKI, A. *see* TUCCI, A.
- MOYA, R. *see* SALCEDO, M.
- MUDD, D. *see* ZUMLA, A.
- MÜLLER-RUCHHOLTZ, W. *see* ZAVAZAVA, N.
- MULLERSMAN, J.E., WHITE, G. & TUNG, K.S. K. Differential staining of human $\alpha\beta$ and $\gamma\delta$ T cells by the fluorescein conjugate of an anti-CD3 monoclonal antibody, 324
- MURAKAMI, K. *see* MORI, Y.
- MUSO, E., YOSHIDA, H., TAKEUCHI, E., SHIMADA, T., YASHIRO, M., SUGIYAMA, T. & KAWAI, C. Pathogenic role of polyclonal and polymeric IgA in a murine model of mesangial proliferative glomerulonephritis with IgA deposition, 459
- MYC, A., DEANGELIS, P., LASSOTA, P., MELAMED, M.R. & DARZYN-KIEWICZ, Z. Effect of swainsonine on interleukin-2 alpha chain receptor expression and proliferation of human lymphocytes, 406
- NAGASE, M. *see* SATO, T.
- NAKAGAWA, N. *see* OCHIAI, K.
- NAKANUMA, Y. *see* TERADA, T.
- NERY, J.A. *see* SARNO, E.N.
- NISHIKAWA, K. *see* TAMAI, H.
- NÖLLE, B. *see* ZAVAZAVA, N.
- NORDER, H. *see* SÄLLBERG, M.
- NUZZO, V. *see* VEGNENTE, A.
- OAKES, D.J. *see* TREJDOSIEWICZ, L.K.
- OBATA, H. *see* TERADA, T.
- OCHIAI, K., IWAMOTO, I., TAKAHASHI, H., YOSHIDA, S., NAKAGAWA, N., TOMIOKA, H. & YOSHIDA, S. Characterization of an anti-eosinophil monoclonal antibody that recognizes granulocytes from patients with blood eosinophilia but not from subjects without eosinophilia, 283
- O'CONNOR, R.D. *see* SPIEGELBERG, H.L.
- OHLIN, M., SUNDQVIST, V.-A., GILLJAM, G., RUDÉN, U., GOMBERT, F.O., WAHREN, B. & BORREBAECK, C.A. K. Characterization of human monoclonal antibodies directed against the pp65-kD matrix antigen of human cytomegalovirus, 508
- OHMACHI, M. *see* ASANO, M.
- OITE, T. *see* SATO, T.
- OKADA, H. *see* TAMAI, H.
- OKADA, N. *see* TAMAI, H.
- OKUMA, M. *see* MORI, Y.
- OLEESKY, D.A., DANIELS, R.H., WILLIAMS, B.D. & AMOS, N. & MORGAN, B.P. Terminal complement complexes and C1/C1 inhibitor complexes in rheumatoid arthritis and other arthritic conditions, 250
- OLIVER, A.M. *see* HORROCKS, C.
- OMEÑACA, F. *see* FERREIRA, A.
- OPRAVIL, M., FIERZ, W., MATTER, L., BLASER, J. & LÜTHY, R. Poor antibody response after tetanus and pneumococcal vaccination in immunocompromised, HIV-infected patients, 185
- PACCAUD, J.-P. *see* MADI, N.
- PAGANELLI, R., SCALA, E., CAPOBIANCHI, M.R., FANALES-BELASIO, E.,

- D'OFFIZI, G., FIORILLI, M. & AIUTI, F. Selective deficiency of interferon-gamma production in the hyper-IgE syndrome relationship to *in vitro* IgE synthesis, 28
- PARKER, S.J., ROBERTS, C.W. & ALEXANDER, J. CD8⁺ T cells are the major lymphocyte subpopulation involved in the protective immune response to *Toxoplasma gondii* in mice, 207
- PAROLI, M. *see* BENVENUTO, R.
- PATARROYO, M.E. *see* SALCEDO, M.
- PATIL, S.A., TYAGI, P., KATOCH, K., SREEVATSA & SENGUPTA, U. Antigens of *Mycobacterium leprae* in the cerebrospinal fluid of leprosy patients: detection by monoclonal-antibody-based sandwich immunoradiometric assay and avidin/biotin immunoblotting, 515
- PEARSON, J.D. *see* DAVIES, K.A.
- PEGG, C.A. S. *see* MACHT, L.
- PENNY, R. *see* MA, J.
- PEPYS, M.B. *see* HAWKINS, P.N.
- PETERS, A.M. *see* DAVIES, K.A.
- PHILLIPS, D.I. W. *see* MACHT, L.
- PIGUET, P.F. *see* GRAU, G.E.
- PINCHING, A.J. Antibody responses in HIV infection, 181
- PONARD, D. *see* ARVIEUX, J.
- POPLONSKI, L. *see* KEYSTONE, E.C.
- PREUD'HOMME, J.L. *see* SELIGMAN, M.
- PURVIS, J.C. *see* KEYSTONE, E.C.
- RATANACHAIYAVONG, S., DEMAINE, A.G., CAMPBELL, R.D. & MCGREGOR, A.M. Heat shock protein 70 (HSP70) and complement C4 genotypes in patients with hyperthyroid Graves' disease, 48
- REES SMITH, B. *see* MACHT, L.
- RICHARDSON, P. *see* LING, N.
- RITTERSHAUS, C. *see* KEYSTONE, E.C.
- ROBERTS, C.W. *see* PARKER, S.J.
- ROBSON, T. *see* GILES, C.M.
- RODRÍGUEZ, M. CRUZ-GARCÍA *see* FERREIRA, A.
- ROJAS, M. *see* SALCEDO, M.
- ROMÉO, P.-H. *see* FARCET, J.P.
- ROSSI, F., BELLON, B., VIAL, M.C., DRUET, P. & KAZATCHKINE, M.D. Beneficial effect of human therapeutic intravenous immunoglobulins (IVIg) in mercuric-chloride-induced autoimmune disease of Brown-Norway rats, 129
- ROUSSEL, B. *see* ARVIEUX, J.
- RUDÉN, U. *see* OHLIN, M.
- SAKAI, M. *see* MORI, Y.
- SAKAMOTO, N. *see* TAMAI, H.
- SAKAMOTO, T. *see* TAKIGAWA, M.
- SALCEDO, M., BARRETO, L., ROJAS, M., MOYA, R., COTE, J. & PATARROYO, M.E. Studies on the humoral immune response to a synthetic vaccine against *Plasmodium falciparum* malaria, 122
- SÄLLBERG, M., NORDER, H., LINDH, G. & MAGNIUS, L.O. IgG subclasses in circulating immune complexes with hepatitis B e antigen in chronic hepatitis B, 116
- SANDKUHL, L.A. *see* HENDRIKS, R.W.
- SARNO, E.N., GRAU, G.E., VIEIRA, L.M. M. & NERY, J.A. Serum levels of tumour necrosis factor- α and interleukin-1 β during leprosy reactional states, 103
- SARZERO, D. *see* MACHT, L.
- SATO, T., OITE, T., NAGASE, M. & SHIMIZU, F. Nephrotoxic serum nephritis in nude rats: the roles of host immune reactions, 139
- SAVIGE, J.A. & GALLICCHIO, M. The non-collagenous domains of the α 3 and 4 chains of type IV collagen and their relationship to the Goodpasture antigen, 454
- SAVIGE, J.A. *see* GALLICCHIO, M.C.
- SAVILL, J. *see* DAVIES, K.A.
- SCALA, E. *see* PAGANELLI, R.
- SCARATINO, G. *see* TRILOLO, G.
- SCHEPER, R.J. *see* LIMPENS, J.
- SCHIFFERLI, J.A. *see* MADI, N.
- SCHMITT, C. *see* LEVY, Y.
- SCHUURMAN, R.K. B. *see* HENDRIKS, R.W.
- SELIGMAN, M., ACCOUTURIER, P., DANON, F. & PREUD'HOMME, J.L. Changes in serum immunoglobulin patterns in adults with common variable immunodeficiency, 23
- SENGUPTA, U. *see* PATIL, S.A.
- SHERON, N., BIRD, G., GOKA, J., ALEXANDER, G. & WILLIAMS, R. Elevated plasma interleukin-6 and increased severity and mortality in alcoholic hepatitis, 449
- SHIMADA, T. *see* MUSO, E.
- SHIMIZU, F. *see* SATO, T.
- SIEGERT, C.E. H. *see* VAN DER ZEE, J.M.
- SITHITHAWORN, P. *see* HASWELL-ELKINS, M.R.
- SMART, C.J. *see* TREJDSIEWICZ, L.K.
- SNOW, K.M. *see* KEYSTONE, E.C.
- SPIEGELBERG, H.L., FALKOFF, R.J. M., O'CONNOR, R.D. & BECK, L. Interleukin-2 inhibits the interleukin-4-induced human IgE and IgG4 secretion *in vitro*, 400
- SREEVATSA *see* PATIL, S.A.
- STADEAGER, C. *see* KAPPEL, M.
- STAGG, A.J., HARDING, B., HUGHES, R.A., KEAT, A. & KNIGHT, S.C. Peripheral blood and synovial fluid T cells differ in their response to alloantigen and recall antigens presented by dendritic cells, 72
- STAGG, A.J., HARDING, B., HUGHES, R.A., KEAT, A. & KNIGHT, S.C. The distribution and functional properties of dendritic cells in patients with seronegative arthritis, 66
- STANLEY, B. *see* VYAKARNAM, A.
- STAPLETON, S.A. *see* MANNIK, M.
- STEEL, D.M. *see* WHITEHEAD, A.S.
- STEIGER, G. *see* MADI, N.
- STICKNEY, D.R. *see* GRIDLEY, D.S.
- STUHLMEIER, K., THEYER, G., BAUMGARTNER, G. & ZLABINGER, G.J. Synergistic effect of coumarin (1,2 benzopyrone) and endotoxin in the induction of human interleukin-1, 317
- SUGIYAMA, T. *see* MUSO, E.
- SUN, J. *see* FREDRIKSON, S.
- SUNDQVIST, V.-A. *see* OHLIN, M.
- SVENSON, S.B. *see* AGUILAR-SANTELISES, M.
- SZER, I.S. *see* ZUKLYS, K.L.
- SZER, W. *see* ZUKLYS, K.L.
- TAKAHASHI, H. *see* OCHIAI, K.
- TAKEUCHI, E. *see* MUSO, E.
- TAKIGAWA, M., TAMAMORI, T., HORIGUCHI, D., SAKAMOTO, T., YAMADA, M., YOSHIOKA, A., TODA, K., IMAMURA, S. & YODOI, J. Fc ϵ receptor II/CD23-positive lymphocytes in atopic dermatitis. I. The proportion of Fc ϵ RII⁺ lymphocytes correlates with the extent of skin lesion, 275
- TAMAI, H., MATSUO, S., FUKATSU, A., NISHIKAWA, K., SAKAMOTO, N., TOSHIOKA, K., OKADA, N. & OKADA, H. Localization of 20-kD homologous restriction factor (HRF20) in diseased human glomeruli. An immunofluorescence study, 256
- TAMAMORI, T. *see* TAKIGAWA, M.
- TARTAR, A. *see* DUQUESNE, V.
- TEBBS, S.E., GONZALEZ, A.M. & WILSON, R.M. The role of aldose reductase inhibition in diabetic neutrophil phagocytosis and killing, 482
- TENNENT, G.A. *see* HAWKINS, P.N.
- TERADA, T., NAKANUMA, Y., HOSO, M. & OBATA, H. Expression of HLA-DR antigen on hepatic vascular endothelial cells in idiopathic portal hypertension, 303
- THEYER, G. *see* STUHLMEIER, K.
- THOMSON, A.W. *see* HORROCKS, C.
- TODA, K. *see* TAKIGAWA, M.
- TOIVANEN, P. *see* MÄKI-IKOLA, O.
- TOMIOKA, H. *see* OCHIAI, K.
- TOOTHILL, V.J. *see* DAVIES, K.A.
- TOSCANO, P. *see* VEGNENTE, A.
- TOSHIOKA, K. *see* TAMAI, H.
- TRAUTWEIN, C. *see* LÖHR, H.
- TREJDSIEWICZ, L.K., CALABRESE, A., SMART, C.J., OAKES, D.J., HOWDLE, P.D., CRABTREE, J.E., LOSOWSKY, M.S., LANCASTER, F. & BOYLSTON, A.W. $\gamma\delta$ T cell receptor-positive cells of the human gastrointestinal mucosa: occurrence and V region gene expression in *Helicobacter pylori*-associated gastritis, coeliac disease and inflammatory bowel disease, 440
- TRILOLO, G., GIARDINA, E., CASIGLIA, D., SCARATINO, G. & BOMPIANI, G.D. Detection of the terminal fluid-phase complement complex, SC5b-9, in the plasma of insulin-dependent (type I) diabetes mellitus.

- Relation to increased urinary albumin excretion and plasma von Willebrand factor, 53
- TSAPIS, A. *see* LEVY, Y.
- TUCCI, A., MOUZAKI, A., JAMES, H., BONNEFOY, J.-Y. & ZUBLER, R.H. Are cord blood B cells functionally mature?, 389
- TUNG, K.S. K. *see* MULLERSMAN, J.E.
- TVEDE, N. *see* KAPPEL, M.
- TYAGI, P. *see* PATIL, S.A.
- UY, A. *see* MADALINSKI, K.
- VACCA, A., DI STEFANO, R., FRASSANITO, A., IODICE, G. & DAMMACCO, F. A disturbance of the IL-2/IL-2 receptor system parallels the activity of multiple myeloma, 429
- VAINCHENKER, W. *see* FARCET, J.P.
- VAINIONPÄÄ, R. *see* MÄKI-IKOLA, O.
- VAN DER ZEE, J.M., SIEGERT, C.E. H., DE VREEDE, T.A., DAHA, M.R. & BREEDVELD, F.C. Characterization of anti-endothelial cell antibodies in systemic lupus erythematosus (SLE), 238
- VAN VENROOIJ, W.J. *see* HOET, R.M.
- VEERMAN, A.J. P. *see* HENDRIKS, R.W.
- VEGNENTE, A., GUIDA, S., LOBO-YEO, A., ALVIGGI, L., DANIELS, H., TOSCANO, P., NUZZO, V., MELI-VERGANI, G. & VERGANI, D. T lymphocyte activation is associated with viral replication in chronic active hepatitis B infection of childhood, 190
- VENET, A. *see* JEFFERY, A.A.
- VERDIJN, W. *see* MOMMAAS, A.M.
- VERGANI, D. *see* VEGNENTE, A.
- VERLOHREN, H.-J. *see* KRUG, J.
- VERMEER, B.J. *see* MOMMAAS, A.M.
- VESIN, C. *see* GRAU, G.E.
- VIAL, M.C. *see* ROSSI, F.
- VIEIRA, L.M. M. *see* SARNO, E.N.
- VILLAR, L.M. *see* FERREIRA, A.
- VOORSMIT, R.A. C.A. *see* HOET, R.M.
- VYAKARNAM, A., MATEAR, P., MEAGER, A., KELLY, G., STANLEY, B., WELLER, I. & BEVERLEY, P. Altered production of tumour necrosis factors alpha and beta and interferon-gamma by HIV-infected individuals, 109
- WAHREN, B. *see* OHLIN, M.
- WALPORT, M.J. *see* DAVIES, K.A.
- WATANABE, H. *see* KAWAI, K.
- WEBSTER, A.D. B. *see* DAVIES, K.A.
- WEETMAN, A.P. *see* JAYNE, D.R. W.
- WELLER, I. *see* VYAKARNAM, A.
- WESTPHAL, E. *see* ZAVAZAVA, N.
- WHITE, G. *see* MULLERSMAN, J.E.
- WHITEHEAD, A.S., GONNERMAN, W., STEEL, D.M. & ZAHEDI, K. Amyloid resistance in A/J mice is not determined by genetic variants at, or close to, the serum amyloid P locus, 153
- WIJSMAN, M.C. *see* MOMMAAS, A.M.
- WILLIAMS, B.D. *see* OLESKY, D.A.
- WILLIAMS, R. *see* SHERON, N.
- WILLIAMS, W. *see* ZUMLA, A.
- WILSON, R.M. *see* TEBBS, S.E.
- WONGRATANACHEWIN, S. *see* HASWELL-ELKINS, M.R.
- WOO, P. *see* HAWKINS, P.N.
- WOOD, N. *see* KEYSTONE, E.C.
- XIAO, B.-G. *see* FREDRIKSON, S.
- YAMADA, M. *see* TAKIGAWA, M.
- YASHIRO, M. *see* MUSO, E.
- YATES, P. *see* MACHT, L.
- YEA, C.M., DULARAY, B. & ELSON, C.J. Identification of a myeloperoxidase inhibitor from normal human serum, 347
- YODOI, J. *see* TAKIGAWA, M.
- YOSHIDA, A. *see* KIMATA, H.
- YOSHIDA, H. *see* MUSO, E.
- YOSHIDA, S. *see* OCHIAI, K.
- YOSHIDA, S. *see* OCHIAI, K.
- YOSHIKAWA, Y. *see* MORI, Y.
- YOSHIOKA, A. *see* TAKIGAWA, M.
- ZAHEDI, K. *see* WHITEHEAD, A.S.
- ZAVAZAVA, N., HALENE, M., WESTPHAL, E., NÖLLE, B., DUNCKER, G., ECKSTEIN, E., HARPPRECHT, J. & MÜLLER-RUCHOLTZ, W. Expression of MHC class I and II molecules by cadaver retinal pigment epithelium cells: optimization of post-mortem HLA typing, 163
- ZLABINGER, G.J. *see* STUHLMEIER, K.
- ZUBLER, R.H. *see* TUCCI, A.
- ZUKLYS, K.L., SZER, I.S. & SZER, W. Autoantibodies to DNA topoisomerase II in juvenile rheumatoid arthritis, 245
- ZUMLA, A., WILLIAMS, W., MUDD, D., LOCNISKAR, M., BEHRENS, R., ISENBERG, D. & MCADAM, K.P. W.J. Expression of a common idiotypic PR4 in the sera of patients with leprosy, 522

Subject Index

- ANCA, 232, 476
 APF, 59
 Acetylcholine receptor, 353
 Acridine orange, 406
 Adhesion molecules, 157, 223
 Alcoholic hepatitis, 449
 Aldose reductase, 482
 Allergy, 270
 Alpha 3 and 4 chains, 454
 Alveolar macrophages, 488
 Amyloidosis, 153, 308
 Anionic IgA, 459
 Ankylosing spondylitis, 472
 Anti-M4, 445
 Anti-RNP antibodies, 83
 Anti-TNF monoclonal antibodies, 411
 Anti-eosinophil monoclonal antibody, 283
 Anti-mitochondrial antibodies, 445
 Anti-phospholipid antibodies, 466
 Antibodies, 1, 185, 238, 353
 Antibody penetration, 83
 Antibody production, 122
 Antibody responsiveness, 181
 Antigens, 515
 Apheresis, 535
 Arthritis, 66, 72
 Atopic dermatitis, 275
 Autoantibodies, 522
 Autoantigen, 59
 Autoimmune diseases, 134, 145
 Autologous mixed leucocyte reaction, 66
 Autoreactive T cells, 297
- B cell activation, 336
 B cell differentiation, 34
 B cell ontogeny, 336
 B cells, 336
 B lymphocytes, 373, 389
 B-CLL, 422
 BALB/c mice, 207
 BMNC subpopulations, 175
 BN rats, 129
 Bacterial antibodies, 472
 Bacterial lipopolysaccharide, 134
 Bifunctional antibody, 289
 Blood eosinophilia, 283
 Bronchoalveolar lavage, 488
 Buccal mucosa keratinocytes, 59
- C-reactive protein, 329
 C1/C1 inhibitor complex, 250
 C3 activation products, 535
 C4 binding to human erythrocytes, 263
 C4, 263
 CD23, 275
 CD3, 324
 CD45 isoforms, 376
 CD59, 256
 CR3, 223
 CR4, 223
 CSF-T cell clones, 97
 Cancer, 289
 Carrier detection, 219
 Cell cycle, 406
 Cell-mediated cytotoxicity, 43
 Cerebrospinal fluid, 515
- Chronic hepatitis B, 493
 Collagen type IV, 454
 Common variable immunodeficiency, 23
 Complement C4, 48
 Complement receptor 1 (CD35), 9
 Complement, 1, 250, 256, 466
 Cord blood, 389
 Cornea, 163
 Corticosteroids, 103
 Coumarin, 317
 Cutaneous lesions, 359
 Cyclophosphamide derivatives, 383
 Cyclosporin A, 157
 Cytochrom P450, 297
 Cytokine production, 317
 Cytokines, 103, 200, 283
 Cytomegalovirus, 508
 Cytotoxic T lymphocytes, 501
- ddY mice, 459
 Dendritic cells, 66, 72
 Diabetes mellitus, 53
 Diabetes, 482
 Disodium cromoglycate, 395
 Double-label immunofluorescence, 440
- ELISA, 213, 472
 Elastase, 223
 Endocytosis, 170
 Endorphin, 170
 Endothelium, 238
 Epitopes, 508
 Epstein-Barr virus, 501
 Erythrocytes, 9, 466
- FcεRII, 275
 Filaggrin, 59
 Flow cytometric analysis, 83
 Flow cytometry, 324, 329, 406
 Fluorescein, 324
- Gall bladder, 213
 γδ T cells, 78, 324
 γδ TCR⁺ cells, 440
 Genetics, 153
 Glomerulonephritis, 134, 256, 459
 Glycoprotein, 195
 Goodpasture antigen, 454
 Graft-versus-host disease, 359
 Gram-negative sepsis, 411
 Graves' disease, 48
 Growth inhibition, 122
- HBeAg, 493
 HBsAg, 493
 HIV infection, 167, 185
 HIV, 109, 181, 488
 HLA typing, 163
 HLA, 170
 HLA-DR antigen, 303
 HLA-DR, 190
 HRF20, 256
 HTLV-I, 415
 Heat shock protein, 48
 Hepatitis B virus, 190, 493
 Hepatitis B, 116

- Hepatitis, 297
 Host immune reaction, 139
 Human hybridoma, 508
 Human rabies, 195
 Human serum, 347
 Human trial, 122
 Human, 324
 Humoral immune response, 195
 Hyper-IgE, 28
 Hyperthermia, 175

 IVIg (intravenous immunoglobulin), 129
 Idiopathic portal hypertension, 303
 Idiotypes, 522
 IgA deficiency, 134
 IgE and IgG4 production, 395
 IgE secretion, 400
 IgE synthesis, 28
 IgG subclasses, 23, 34, 116, 476
 IgG4 secretion, 400
 Immediate hypersensitivity, 270
 Immune adherence, 9
 Immune complexes, 1, 9, 134
 Immune deposits in glomeruli, 367
 Immunoblotting with anti-C4d, 263
 Immunoblotting, 245
 Immunoelectromicroscopy, 170
 Immunoenhancement, 383
 Immunoglobulin gene, 435
 Immunoglobulin, 1
 Immunoglobulins, 389
 Immunohistochemistry, 303
 Immunohistology, 440
In vitro proliferative responses, 175
 Inactivation of C4, 263
 Integrins, 336
 Interferon-gamma, 28, 92, 109
 Interleukin-1, 317, 422
 Interleukin-1a, 92
 Interleukin-2 receptor, 429
 Interleukin-2, 400, 415, 429
 Interleukin-4, 28, 395, 400
 Interleukin-6, 422, 449
 Intracellular fluorescence, 83

 Juvenile rheumatoid arthritis, 245

 Keratinocytes, 157
 Kidney eluates, 459
Klebsiella, 472

 LAD, 223
 LFA-1, 223
 LKM-1 antigen, 297
 Late-phase reaction, 270
 Leprosy reactions, 103
 Leprosy, 515, 522
 Leucocyte function-associated antigen, 157
 Leucocytes, 289
 Limiting-dilution analysis, 501
 Lipopolysaccharide, 411
 Liver, 303
 Local chemotherapy, 383
 Lymphocyte proliferation, 376
 Lymphocytes, 275

 MHC, 359
 Macrophages, 200
 Malaria vaccine, 122
 Membrane attack complex, 256
 Mercury-induced autoimmunity, 129
 Mice, 153
 Microalbuminuria, 53
 Mixed leucocyte reaction, 72

 MIs, 145
 Monoclonal antibodies, 508
 Monoclonal lymphocytosis of undermined significance, 422
 Monocytes, 329
 Multiple myeloma, 435
 Multiple sclerosis, 97, 353
 Murine gastritis, 145
Mycobacterium leprae, 515
Mycobacterium tuberculosis, 200
 Myelin basic protein, 353
 Myeloperoxidase inhibitor, 347
 Myeloperoxidase, 232

 Natural killer cells, 175
 Nephrotoxic serum nephritis, 139
 Nerve damage, 103
 Neutrophils, 482
 Non-collagenous domains, 454
 Nucleocapsid protein, 195
 Nude rats, 139

Opisthorchis viverrini, 213
 Oxidative killing, 482

 P24, 527
 Parasite-specific antibodies, 213
 Pathogenesis, 476
 Persistence of immune deposits in kidneys, 367
 Phosphoprotein, 508
 Phytohaemagglutinin, 376, 406
 Pneumococcal, 185
 Polymerase chain reaction, 454
 Polymeric IgA, 459
 Polymorphism, 308
 Pre-S1 enriched immune complexes, 493
 Primary biliary cirrhosis, 445
 Protection, 207
 Psoriasis, 157

 Receptors, 329
 Recombinant protein, 245
 Restriction fragment length polymorphism, 48
 Rheumatoid arthritis, 59, 78, 250
 Rodgers and Chido antigens, 263

 SAP, 13
 SCID mice, 34
 s-HLA, 167
 SIRMA, 515
 Sarcoidosis, 92
 Septic shock, 411
 Serum CD21, 16
 Serum CR2, 16
 Serum amyloid P component, 308
 Serum immunoglobulin, 23
 Stress hormones, 175
 Sulphite oxidase, 445
 Suppressor cell dysfunction, 43
 Synergism, 317
 Synovial fluid, 78
 Synthetic epitopes, 527
 Synthetic vaccines, 122
 Systemic lupus erythematosus, 238, 466
 Systemic vasculitis, 476

 T cell clones, 297
 T cell epitopes, 527
 T cell receptors, 145, 376
 T cell subsets, 270, 359
 T cells, 78, 207
 T lymphocytes, 190, 270
 T suppressor cell inhibition, 383
 Terminal complement complex, 250
 Terminal complement components, 53

- Terminal complement products, 535
Tetanus, 185
Thalidomide, 103
Thymectomy, 145
Thyroglobulin antibodies, 34
Thyroid peroxidase antibodies, 34
Tolerance, 383
Topoisomerase II, 245
Toxoplasma gondii, 207
Transforming growth factor-beta, 389
Transplacental barrier, 167
Transplantation, 163
Tuberculosis, 522
Tumour necrosis factor, 109, 411, 449
Tumour necrosis factor-alpha, 92, 97
Type I diabetes, 43
Ultrasonography, 213
Umbilical cord blood lymphocytes, 353
VLAs, 336
Vaccination, 185
Vasculitis, 223
Viral isolation, 488
Vk expression, 440
von Willebrand factor, 53
Wiskott-Aldrich syndrome, 219
X-chromosome inactivation, 219

